




电熔套管

Electrofusion Coupler




规格 (Specifications) ϕ dn	L	A	ϕ d	订货编号 (Item Number)
20	85	40	4.7	XDI-20
25	90	43	4.7	XDI-25
32	90	44	4.7	XDI-32
40	95	45	4.7	XDI-40
50	105	50	4.7	XDI-50
63	110	50	4.7	XDI-63
75	135	65	4.7	XDI-75
90	130	63	4.7	XDI-90
110	150	70	4.7	XDI-110
125	165	80	4.7	XDI-125
140	170	80	4.7	XDI-140
160	180	85	4.7	XDI-160
180	208	100	4.7	XDI-180
200	208	100	4.7	XDI-200
225	220	105	4.7	XDI-225
250	215	105	4.7	XDI-250
315	225	110	4.7	XDI-315
355	265	130	4.7	XDI-355
400	310	150	4.7	XDI-400
500	370	180	4.7	XDI-500
560	380	185	4.7	XDI-560
630	420	205	4.7	XDI-630



电熔45°弯头

Electrofusion Elbow 45°




规格 (Specifications) ϕ dn	L	A	ϕ d	订货编号 (Item Number)
50×45°	130	50	4.7	XDVL-50
63×45°	180	63	4.7	XDVL-63
90×45°	230	83	4.7	XDVL-90
110×45°	270	85	4.7	XDVL-110
160×45°	280	85	4.7	XDVL-160
200×45°	330	100	4.7	XDVL-200
250×45°	420	115	4.7	XDVL-250
315×45°	470	125	4.7	XDVL-315
400×45°	580	140	4.7	XDVL-400

规格 (Specifications) ϕ dn X ϕ dn1	L	A	B	ϕ d	订货编号 (Item Number)
25×20	94	42	35	4.7	XDS-25/20
32×20	94	42	40	4.7	XDS-32/20
32×25	94	42	40	4.7	XDS-32/25
40×25	100	50	40	4.7	XDS-40/25
40×32	100	50	40	4.7	XDS-40/32
50×25	110	55	40	4.7	XDS-50/25
50×32	110	55	40	4.7	XDS-50/32
50×40	110	50	50	4.7	XDS-50/40
63×25	115	60	40	4.7	XDS-63/25
63×32	120	60	40	4.7	XDS-63/32
63×40	120	55	40	4.7	XDS-63/40
63×50	120	55	50	4.7	XDS-63/50
75×50	120	65	50	4.7	XDS-75/50
75×63	130	65	50	4.7	XDS-75/63
90×50	140	65	55	4.7	XDS-90/50
90×63	140	65	55	4.7	XDS-90/63
90×75	145	65	60	4.7	XDS-90/75
110×63	160	75	55	4.7	XDS-110/63
110×75	155	75	60	4.7	XDS-110/75
110×90	155	75	65	4.7	XDS-110/90
125×63	160	80	60	4.7	XDS-125/63
125×90	160	80	70	4.7	XDS-125/90
125×110	165	85	69	4.7	XDS-125/110
160×90	195	94	74	4.7	XDS-160/90
160×110	195	95	75	4.7	XDS-160/110
160×125	195	95	75	4.7	XDS-160/125
200×110	210	95	80	4.7	XDS-200/110
200×160	210	95	85	4.7	XDS-200/160
250×110	230	100	80	4.7	XDS-250/110
250×160	230	110	90	4.7	XDS-250/160
250×200	230	110	100	4.7	XDS-250/200
315×200	240	100	100	4.7	XDS-315/200
315×250	240	100	100	4.7	XDS-315/250
400×250	260	110	105	4.7	XDS-400/250
400×315	260	110	105	4.7	XDS-400/315




电熔90°弯头

Electrofusion Elbow 90°



电熔异径套管

Electrofusion Reducer




规格 (Specifications) ϕ dn X 90°	L	A	ϕ d	订货编号 (Item Number)
25×90°	85	42	4.7	XDL-25
32×90°	94	45	4.7	XDL-32
40×90°	95	50	4.7	XDL-40
50×90°	110	50	4.7	XDL-50
63×90°	130	55	4.7	XDL-63
75×90°	155	60	4.7	XDL-75
90×90°	170	65	4.7	XDL-90
110×90°	195	70	4.7	XDL-110

规格 (Specifications) ϕ dn X 90°	L	A	ϕ d	订货编号 (Item Number)
125×90°	225	80	4.7	XDL-125
160×90°	265	80	4.7	XDL-160
180×90°	295	85	4.7	XDL-180
200×90°	330	102	4.7	XDL-200
250×90°	395	113	4.7	XDL-250
315×90°	482	127	4.7	XDL-315
400×90°	590	140	4.7	XDL-400




电熔异径三通

Electrofusion Reducing Tee



电熔等径三通

Electrofusion Equal Tee



规格 (Specifications) φ dnX φ dn1X φ dn	L	A	B	φ d	订货编号 (Item Number)
25×20×25	105	45	50	4.7	XDST-25/20
32×20×32	120	45	50	4.7	XDST-32/20
32×25×32	120	45	50	4.7	XDST-32/25
40×25×40	125	45	55	4.7	XDST-40/25
40×32×40	125	45	55	4.7	XDST-40/32
50×25×50	145	50	50	4.7	XDST-50/25
50×32×50	145	50	55	4.7	XDST-50/32
50×40×50	145	50	55	4.7	XDST-50/40
63×25×63	130	50	55	4.7	XDST-63/25
63×32×63	135	50	55	4.7	XDST-63/32
63×40×63	140	50	55	4.7	XDST-63/40
63×50×63	160	55	55	4.7	XDST-63/50
75×32×75	195	70	70	4.7	XDST-75/32
75×40×75	195	70	70	4.7	XDST-75/40
75×50×75	195	70	70	4.7	XDST-75/50
75×63×75	195	70	70	4.7	XDST-75/63
90×32×90	210	70	80	4.7	XDST-90/32
90×40×90	210	70	80	4.7	XDST-90/40
90×50×90	210	70	80	4.7	XDST-90/50
90×63×90	210	70	80	4.7	XDST-90/63
90×75×90	210	70	75	4.7	XDST-90/75
110×32×110	240	75	80	4.7	XDST-110/32
110×40×110	240	75	80	4.7	XDST-110/40
110×50×110	240	75	80	4.7	XDST-110/50


规格 (Specifications) φ dnX φ dn1X φ dn	L	A	B	φ d	订货编号 (Item Number)
110×63×110	240	75	80	4.7	XDST-110/63
110×75×110	240	75	80	4.7	XDST-110/75
110×90×110	240	75	80	4.7	XDST-110/90
125×90×125	255	80	85	4.7	XDST-125/90
125×110×125	255	80	85	4.7	XDST-125/110
160×63×160	305	90	90	4.7	XDST-160/63
160×75×160	305	90	90	4.7	XDST-160/75
160×90×160	305	90	90	4.7	XDST-160/90
160×110×160	305	90	90	4.7	XDST-160/110
160×125×160	305	90	80	4.7	XDST-160/125
200×90×200	360	98	75	4.7	XDST-200/90
200×110×200	360	98	75	4.7	XDST-200/110
200×160×200	360	98	90	4.7	XDST-200/160
250×110×250	405	98	95	4.7	XDST-250/110
250×160×250	405	98	110	4.7	XDST-250/160
250×200×250	405	98	110	4.7	XDST-250/200
315×110×315	520	125	100	4.7	XDST-315/110
315×160×315	520	125	100	4.7	XDST-315/160
315×200×315	520	125	100	4.7	XDST-315/200
315×250×315	520	125	120	4.7	XDST-315/250
400×110×400	600	125	115	4.7	XDST-400/110
400×160×400	600	125	115	4.7	XDST-400/160
400×200×400	600	125	115	4.7	XDST-400/200
400×250×400	600	125	115	4.7	XDST-400/250
400×315×400	600	125	115	4.7	XDST-400/315

规格 (Specifications) φ dnX φ dn1X φ dn	L	A	B	φ d	订货编号 (Item Number)
20×20×20	100	40	40	4.7	XDT-20
25×25×25	105	45	50	4.7	XDT-25
32×32×32	120	45	55	4.7	XDT-32
40×40×40	125	45	60	4.7	XDT-40
50×50×50	145	55	60	4.7	XDT-50
63×63×63	165	55	60	4.7	XDT-63
75×75×75	195	68	70	4.7	XDT-75
90×90×90	210	68	75	4.7	XDT-90
110×110×110	240	75	79	4.7	XDT-110
125×125×125	255	80	85	4.7	XDT-125
160×160×160	310	90	95	4.7	XDT-160
180×180×180	340	98	100	4.7	XDT-180
200×200×200	360	98	105	4.7	XDT-200
250×250×250	405	98	115	4.7	XDT-250
315×315×315	520	125	115	4.7	XDT-315
400×400×400	600	125	115	4.7	XDT-400



电熔管帽

Electrofusion End Cap




规格 (Specifications) φ dn×90°	L	A	φ d	订货编号 (Item Number)
32	60	45	4.7	XDM-32
40	70	55	4.7	XDM-40
50	70	55	4.7	XDM-50
63	80	55	4.7	XDM-63
90	95	55	4.7	XDM-90
110	105	70	4.7	XDM-110



电熔封堵鞍型

Electrofusion Repair Saddle




规格 (Specifications) φ dn	L	A	H	φ d	订货编号 (Item Number)
90	145	154	68	4.7	XDU-90
110	145	160	60	4.7	XDU-110
160	190	230	78	4.7	XDU-160
200	190	235	90	4.7	XDU-200
250	190	300	65	4.7	XDU-250
315	190	300	75	4.7	XDU-315



电熔直通鞍型

Electrofusion Branch Saddle




规格 (Specifications) φ dn×φ dn1	L	A	B	H	φ d	订货编号 (Item Number)
63×32	145	155	80	145	4.7	XDFI-63/32
90×63	145	155	80	145	4.7	XDFI-90/63
110×32	145	160	80	145	4.7	XDFI-110/32
110×63	145	160	80	145	4.7	XDFI-110/63
160×63	190	230	100	185	4.7	XDFI-160/63
160×90	190	230	100	185	4.7	XDFI-160/90
200×63	190	235	110	185	4.7	XDFI-200/63
200×90	190	235	115	195	4.7	XDFI-200/90
250×63	190	300	115	195	4.7	XDFI-250/63
250×90	190	300	115	195	4.7	XDFI-250/90
315×63	190	300	115	195	4.7	XDFI-315/63
315×90	190	300	120	200	4.7	XDFI-315/90



电熔旁通鞍型

Electrofusion Tapping Saddle




规格 (Specifications) φ dn×φ dn1	L	A	B	H	φ d	订货编号 (Item Number)
63×25	110	104	50	129	4.7	XDF-63/25
63×32	110	104	50	129	4.7	XDF-63/32
90×25	140	130	75	185	4.7	XDF-90/25
90×50	140	130	75	185	4.7	XDF-90/50
90×63	140	130	75	185	4.7	XDF-90/63
110×20	130	155	55	145	4.7	XDF-110/20
110×25	130	155	55	145	4.7	XDF-110/25
110×32	130	155	55	145	4.7	XDF-110/32
110×50	145	160	75	175	4.7	XDF-110/50
110×63	145	160	75	175	4.7	XDF-110/63
160×63	190	240	85	225	4.7	XDF-160/63
160×90	190	240	160	225	4.7	XDF-160/90
200×63	190	255	85	215	4.7	XDF-200/63
200×90	190	255	160	215	4.7	XDF-200/90
250×63	190	265	85	215	4.7	XDF-250/63
250×90	190	265	160	215	4.7	XDF-250/90
315×63	190	310	85	240	4.7	XDF-315/63
315×90	190	310	160	240	4.7	XDF-315/90



直管式钢塑转换接头

PE/Steel Transition Pipe




规格 (Specifications)	PE 通称	PE 俗称	PE ϕ dn1	钢管 ϕ dn2	L	A	B	钢管英寸	钢管口径	订货编号 (Item Number)
25 × 3/4"	25钢塑	25	27	395	95	225	3/4"	20	XDGS-25/20	
32 × 3/4"	32钢塑	32	27	405	105	225	3/4"	20	XDGS-32/20	
32 × 1"	32钢塑	32	34	405	105	225	1"	25	XDGS-32/25	
40 × 1"	40钢塑	40	34	405	110	225	1"	25	XDGS-40/25	
40 × 1 1/4"	40钢塑	40	42	405	115	225	1 1/4"	32	XDGS-40/32	
50 × 1 1/2"	50钢塑	50	48	410	115	225	1 1/2"	40	XDGS-50/40	
63 × 1 1/2"	63钢塑	63	48	410	115	225	1 1/2"	40	XDGS-63/40	
63 × 2"	63钢塑	63	57	410	115	225	2"	50	XDGS-63/50	
63 × 2"	63钢塑	63	60	410	115	225	2"	50	XDGS-63/50	
75 × 2 1/2"	75钢塑	75	76	550	100	355	2 1/2"	63	XDGS-75/63	
90 × 2 1/2"	90钢塑	90	76	535	100	355	2 1/2"	63	XDGS-90/76	
90 × 3"	90钢塑	90	89	540	95	355	3"	80	XDGS-90/89	
110 × 3"	110钢塑	110	89	550	125	355	3"	80	XDGS-110/89	
110 × 4"	110钢塑	110	108	550	105	355	4"	100	XDGS-110/108	
160 × 6"	160钢塑	160	159	575	160	325	6"	150	XDGS-160/159	
200	200钢塑	200	203	600	165	345	--	--	XDGS-200/203	
200	200钢塑	200	219	600	160	345	--	--	XDGS-200/219	
250	250钢塑	250	245	650	180	360	--	--	XDGS-250/245	
250	250钢塑	250	273	680	200	370	--	--	XDGS-250/273	
315	315钢塑	315	299	680	205	370	--	--	XDGS-315/299	
315	315钢塑	315	325	680	245	425	--	--	XDGS-315/325	

无英寸对照表 以钢管外径为准



丝扣式转换接头

PE/Steel Transition Threaded




规格 (Specifications)	PE 通称	PE 俗称	PE ϕ dn1	管牙 ϕ dn2	L	A	B	丝扣管英寸	订货编号 (Item Number)
32 × 1"	32丝扣	32			170	80	25	1"	XDKS-32/25
40 × 1 1/4"	40丝扣	40			170	80	25	1 1/4"	XDKS-40/32
50 × 1 1/2"	50丝扣	50			170	80	25	1 1/2"	XDKS-50/40
63 × 2"	63丝扣	63			170	80	25	2"	XDKS-63/50



弯管式钢塑转换接头

PE Steel Transition Pipe Elbow



规格 (Specifications)	PE 通称	PE 俗称	PE ϕ dn1	钢管 ϕ dn2	A	B	C	钢管英寸	钢管口径	订货编号 (Item Number)
25 × 3/4"	25钢塑	25	27	740	410	80	3/4"	20	XDLS-25/20	
32 × 1"	32钢塑	32	34	740	410	80	1"	25	XDLS-32/25	
40 × 1"	40钢塑	40	34	740	410	80	1"	25	XDLS-40/25	
40 × 1 1/4"	40钢塑	40	42	740	410	80	1 1/4"	32	XDLS-40/32	
50 × 1 1/2"	50钢塑	50	48	740	410	80	1 1/2"	40	XDLS-50/40	
63 × 1 1/2"	63钢塑	63	48	740	430	80	1 1/2"	40	XDLS-63/40	
63 × 2"	63钢塑	63	57	740	430	80	2"	50	XDLS-63/57	
63 × 2"	63钢塑	63	60	740	430	80	2"	53	XDLS-63/60	



直管丝扣式转换接头


PE/Steel Transition Threaded

规格 (Specifications)	通称	俗称	订货编号 (Item Number)
25 × 3/4"	25钢塑		XDSK-25/3/4"
32 × 3/4"	32钢塑		XDSK-32/3/4"
32 × 1"	32钢塑		XDSK-32/1"
40 × 1"	40钢塑		XDSK-40/1"
40 × 1 1/4"	40钢塑		XDSK-40/1 1/4"
50 × 1 1/2"	50钢塑		XDSK-50/1 1/2"
63 × 1 1/2"	63钢塑		XDSK-63/1 1/2"
63 × 2"	63钢塑		XDSK-63/2"



喷塑防腐钢法兰片(PN1.0MPa)

Nylon Coated Flange Plate (PN1.0MPa)




规格 (Specifications) PE俗称 标准俗称	φdn 外径	φd 中心孔	K 孔距	φE 孔径	n 孔数	螺栓	订货编号 (Item Number)
20	15	95	27	65	14	4	XDO10-20
25	20	105	32	75	14	4	XDO10-25
32	25	115	39	85	14	4	XDO10-32
40	32	135	47	100	18	4	XDO10-40
50	40	145	57	110	18	4	XDO10-50
63	50	160	70	125	18	4	XDO10-63
75	65	180	81	145	18	4	XDO10-75
90	80	195	97	160	18	8	XDO10-90
110	100	215	116	180	18	8	XDO10-110
125	100	215	135	180	18	8	XDO10-125
140	125	245	150	210	18	8	XDO10-140
160	150	280	170	240	22	8	XDO10-160
180	150	280	190	240	22	8	XDO10-180
200	200	335	222	295	22	8	XDO10-200
225	200	335	235	295	22	8	XDO10-225
250	250	390	276	350	22	12	XDO10-250
280	250	390	292	350	22	12	XDO10-280
315	300	440	328	400	22	12	XDO10-315
355	350	500	380	460	22	16	XDO10-355
400	400	565	430	515	26	16	XDO10-400
450	450	615	484	565	26	20	XDO10-450
500	500	670	534	620	26	20	XDO10-500
560	600	780	575	725	30	20	XDO10-560
630	600	780	650	725	30	20	XDO10-630
710	700	895	730	840	30	24	XDO10-710
800	800	1010	825	950	33	24	XDO10-800
900	900	1110	930	1050	33	28	XDO10-900
1000	1000	1220	1025	1160	36	28	XDO10-1000
1200	1200	1455	1260	1380	39	32	XDO10-1200



喷塑防腐钢法兰片(PN1.6MPa)

Nylon Coated Flange Plate (PN1.6MPa)




规格 (Specifications) PE俗称 标准俗称	φdn 外径	φd 中心孔	K 孔距	φE 孔径	n 孔数	螺栓	订货编号 (Item Number)
20	15	95	27	65	14	4	XDO16-20
25	20	105	32	75	14	4	XDO16-25
32	25	115	39	85	14	4	XDO16-32
40	32	135	47	100	18	4	XDO16-40
50	40	145	57	110	18	4	XDO16-50
63	50	160	70	125	18	4	XDO16-63
75	65	180	81	145	18	4	XDO16-75
90	80	195	97	160	18	8	XDO16-90
110	100	215	116	180	18	8	XDO16-110
125	100	215	135	180	18	8	XDO16-125
140	125	245	150	210	18	8	XDO16-140
160	150	280	170	240	22	8	XDO16-160
180	150	280	190	240	22	8	XDO16-180
200	200	335	222	295	22	12	XDO16-200
225	200	335	235	295	22	12	XDO16-225
250	250	400	276	355	26	12	XDO16-250
280	250	400	292	355	26	12	XDO16-280
315	300	450	328	410	26	12	XDO16-315
355	350	510	380	470	26	16	XDO16-355
400	400	570	430	525	30	16	XDO16-400
450	450	630	484	585	30	20	XDO16-450
500	500	705	534	650	33	20	XDO16-500
560	600	830	634	770	36	20	XDO16-560
630	600	830	634	770	36	20	XDO16-630
710	700	900	724	840	36	24	XDO16-710
800	800	1010	824	950	39	24	XDO16-800
900	900	1110	930	1050	39	28	XDO16-900
1000	1000	1220	1025	1170	42	28	XDO16-1000
1200	1200	1455	1260	1390	48	32	XDO16-1200



承插钢法兰片


Socket Rigid Flange



规格 (Specifications) PE俗称 标准俗称	φdn 外径	φd 中心孔	K 孔距	φE 孔径	n 孔数	螺栓	订货编号 (Item Number)
40	32	135	52	100	18	4	XDO10-40C
50	40	145	64	110	18	4	XDO10-50C
63	50	160	78	125	18	4	XDO10-63C
75	65	180	92	145	18	4	XDO10-75C



电熔垫环用法兰



50-110开口18×18cm


规格 (Specifications) PE俗称 标准俗称	φdn 外径	φd 中心孔	K 孔距	φE 孔径	n 孔数	螺栓	订货编号 (Item Number)
50	40	145	72	110	18	4	XDO10-50G
63	50	160	84	125	18	4	XDO10-63G
75	65	180	100	145	18	4	XDO10-75G
90	80	195	115	160	18	8	XDO10-90G
110	100	215	143	180	18	8	XDO10-110G
160	150	280	194	240	22	8	XDO10-160G
200	200	335	240	295	22	12	XDO16-200G
250	250	400	287	355	26	12	XDO16-250G
315	300	450	356	410	26	12	XDO16-315G
400	400	570	440	525	30	16	XDO16-400G



电熔垫环

Electrofusion Flange Adapter

(注: 钢管网专用, 分段式熔接)




规格 (Specifications) φ D	φ dn ₁	φ dn ₂	L	A	B	φ d	订货编号 (Item Number)
50	89	65	116	110	17	4.7	XDDD-50
63	102	79	120	115	18	4.7	XDDD-63
75	121	94	130	125	20	4.7	XDDD-75
90	139	109	145	140	23	4.7	XDDD-90
110	172	139	150	145	25	4.7	XDDD-110
160	228	189	160	152	28	4.7	XDDD-160
200	289	234	178	174	30	4.7	XDDD-200
250	339	280	129	123	32	4.7	XDDD-250
315	390	349	135	127	39	4.7	XDDD-315
400	513	436	160	153	39	4.7	XDDD-400




注塑管帽

End Cap



注塑四通

Cross Fitting



SDR11 系列				
规格 (Specifications) φ dn	L	A	H	订货编号 (Item Number)
63	230	82	102	XDRX11-63
90	290	79	143	XDRX11-90
110	290	82	145	XDRX11-110
160	428	98	225	XDRX11-160
200	420	88	210	XDRX11-200


SDR17 系列				
规格 (Specifications) φ dn	L	A	H	订货编号 (Item Number)
250	507	120	252	XDRX17-250
315	605	120	305	XDRX17-315
355	655	130	330	XDRX17-355

SDR11 系列			
规格 (Specifications) φ dn	L	A	订货编号 (Item Number)
20	55	45	XDRM11-20
25	46	40	XDRM11-25
32	52	44	XDRM11-32
40	67	67	XDRM11-40
50	90	67	XDRM11-50
63	84	70	XDRM11-63
75	87	74	XDRM11-75
90	93	84	XDRM11-90
110	98	82	XDRM11-110
125	107	87	XDRM11-125
160	128	102	XDRM11-160
180	145	112	XDRM11-180
200	142	112	XDRM11-200
225	146	119	XDRM11-225
250	173	128	XDRM11-250
280	166	140	XDRM11-280
315	192	150	XDRM11-315
400	215	150	XDRM11-400


SDR17 系列			
规格 (Specifications) φ dn	L	A	订货编号 (Item Number)
63	84	70	XDRM17-63
90	93	84	XDRM17-90
110	98	82	XDRM17-110
125	107	87	XDRM17-125
160	128	102	XDRM17-160
180	145	112	XDRM17-180
200	142	112	XDRM17-200
225	146	119	XDRM17-225
250	176	128	XDRM17-250
280	166	136	XDRM17-280
315	192	155	XDRM17-315
355	210	152	XDRM17-355
400	215	150	XDRM17-400
500	243	195	XDRM17-500
630	238	182	XDRM17-630



热熔异径三通
Reducing Tee



热熔异径三通
Reducing Tee



SDR11 系列					
规格 (Specifications) φdn ₁ × φdn ₂ × φdn ₃	L	A	B	H	订货编号 (Item Number)
50 × 32 × 50	169	55	54	86	XDRST11-50/32
63 × 25 × 63	168	63	44	92	XDRST11-63/25
63 × 32 × 63	174	63	44	93	XDRST11-63/32
63 × 40 × 63	182	63	55	102	XDRST11-63/40
63 × 50 × 63	191	63	55	102	XDRST11-63/50
75 × 32 × 75	227	72	40	95	XDRST11-75/32
75 × 40 × 75	227	72	49	106	XDRST11-75/40
75 × 50 × 75	227	72	55	108	XDRST11-75/50
75 × 63 × 75	227	72	63	118	XDRST11-75/63
90 × 32 × 90	212	79	44	101	XDRST11-90/32
90 × 40 × 90	223	79	49	115	XDRST11-90/40
90 × 50 × 90	230	79	55	110	XDRST11-90/50
90 × 63 × 90	244	79	63	115	XDRST11-90/63
90 × 75 × 90	251	79	70	128	XDRST11-90/75
110 × 32 × 110	222	82	48	115	XDRST11-110/32
110 × 40 × 110	230	82	49	128	XDRST11-110/40
110 × 50 × 110	240	82	55	135	XDRST11-110/50
110 × 63 × 110	245	82	63	138	XDRST11-110/63
110 × 75 × 110	262	82	70	145	XDRST11-110/75
110 × 90 × 110	273	82	79	152	XDRST11-110/90
125 × 63 × 125	318	87	63	148	XDRST11-125/63
125 × 75 × 125	318	87	70	160	XDRST11-125/75
125 × 90 × 125	318	87	79	160	XDRST11-125/90
125 × 110 × 125	318	87	82	165	XDRST11-125/110
140 × 110 × 140	315	92	82	160	XDRST11-140/110
140 × 125 × 140	333	92	87	175	XDRST11-140/125
160 × 63 × 160	275	98	63	163	XDRST11-160/63
160 × 75 × 160	288	98	70	173	XDRST11-160/75
160 × 90 × 160	300	98	79	185	XDRST11-160/90
160 × 110 × 160	325	98	82	195	XDRST11-160/110
160 × 125 × 160	335	98	87	192	XDRST11-160/125
160 × 140 × 160	347	98	92	197	XDRST11-160/140
180 × 90 × 180	340	105	79	190	XDRST11-180/90
180 × 110 × 180	355	105	82	190	XDRST11-180/110
180 × 125 × 180	365	105	87	202	XDRST11-180/125
180 × 140 × 180	380	105	92	202	XDRST11-180/140
180 × 160 × 180	400	105	98	202	XDRST11-180/160
200 × 63 × 200	307	112	63	181	XDRST11-200/63
200 × 75 × 200	315	112	70	182	XDRST11-200/75
200 × 90 × 200	334	112	79	190	XDRST11-200/90
200 × 110 × 200	356	112	82	200	XDRST11-200/110

SDR17 系列					
规格 (Specifications) φdn ₁ × φdn ₂ × φdn ₃	L	A	B	H	订货编号 (Item Number)
90 × 50 × 90	230	79	55	110	XDRST17-90/50
90 × 63 × 90	244	79	63	115	XDRST17-90/63
90 × 75 × 90	251	79	70	128	XDRST17-90/75
110 × 50 × 110	240	82	55	135	XDRST17-110/50
110 × 63 × 110	245	82	63	130	XDRST17-110/63
110 × 75 × 110	262	82	70	140	XDRST17-110/75
110 × 90 × 110	277	82	79	145	XDRST17-110/90
125 × 75 × 125	318	87	70	150	XDRST17-125/75
125 × 90 × 125	318	87	79	150	XDRST17-125/90
125 × 110 × 125	318	87	82	160	XDRST17-125/110
140 × 110 × 140	315	92	82	160	XDRST17-140/110
140 × 125 × 140	333	92	87	167	XDRST17-140/125
160 × 63 × 160	275	98	63	153	XDRST17-160/63
160 × 75 × 160	288	98	70	165	XDRST17-160/75
160 × 90 × 160	300	98	79	170	XDRST17-160/90
160 × 110 × 160	325	98	82	170	XDRST17-160/110
160 × 125 × 160	335	98	79	180	XDRST17-160/125
180 × 90 × 180	340	105	87	180	XDRST17-180/90
180 × 110 × 180	365	105	82	185	XDRST17-180/110
180 × 125 × 180	365	105	87	185	XDRST17-180/125
180 × 140 × 180	380	105	92	202	XDRST17-180/140
180 × 160 × 180	400	105	98	202	XDRST17-180/160
200 × 63 × 200	307	112	63	175	XDRST17-200/63
200 × 75 × 200	315	112	70	180	XDRST17-200/75
200 × 90 × 200	334	112	79	190	XDRST17-200/90
200 × 110 × 200	356	112	82	195	XDRST17-200/110
200 × 125 × 200	380	112	87	195	XDRST17-200/125
200 × 160 × 200	420	112	98	210	XDRST17-200/160
225 × 90 × 225	360	120	79	210	XDRST17-225/90
225 × 110 × 225	374	120	82	215	XDRST17-225/110
225 × 160 × 225	422	120	98	210	XDRST17-225/160
225 × 180 × 225	430	115	85	220	XDRST17-225/180
250 × 90 × 250	375	130	79	220	XDRST17-250/90
250 × 110 × 250	385	130	82	220	XDRST17-250/110
250 × 160 × 250	380	95	98	240	XDRST17-250/160
250 × 200 × 250	380	75	112	255	XDRST17-250/200


SDR11 系列					
规格 (Specifications) φdn ₁ × φdn ₂ × φdn ₃	L	A	B	H	订货编号 (Item Number)
200 × 125 × 200	380	112	87	204	XDRST11-200/125
200 × 160 × 200	420	112	98	210	XDRST11-200/160
225 × 90 × 225	360	120	79	220	XDRST11-225/90
225 × 110 × 225	370	120	82	215	XDRST11-225/110
225 × 160 × 225	422	120	98	230	XDRST11-225/160
225 × 180 × 225	430	95	85	195	XDRST11-225/180
250 × 90 × 250	375	130	79	230	XDRST11-250/90
250 × 110 × 250	378	120	82	225	XDRST11-250/110
250 × 125 × 250	412	125	87	235	XDRST11-250/125
250 × 160 × 250	380	95	98	235	XDRST11-250/160
250 × 180 × 250	464	130	102	248	XDRST11-250/180
250 × 200 × 250	380	75	112	255	XDRST11-250/200
280 × 90 × 280	406	139	79	245	XDRST11-280/90
280 × 110 × 280	410	139	82	250	XDRST11-280/110
280 × 125 × 280	427	139	87	255	XDRST11-280/125
280 × 160 × 280	459	139	98	270	XDRST11-280/160
280 × 225 × 280	545	147	127	285	XDRST11-280/225
315 × 90 × 315	425	150	79	265	XDRST11-315/90
315 × 110 × 315	437	150	82	265	XDRST11-315/110
315 × 160 × 315	450	132	74	250	XDRST11-315/160
315 × 180 × 315	450	118	100	285	XDRST11-315/180
315 × 200 × 315	450	113	98	285	XDRST11-315/200
315 × 225 × 315	450	95	100	275	XDRST11-315/225
315 × 250 × 315	454	93	77	268	XDRST11-315/250
315 × 280 × 315	583	140	110	320	XDRST11-315/280
400 × 200 × 400	670	130	150	380	XDRST11-400/200
400 × 250 × 400	670	130	150	380	XDRST11-400/250
400 × 315 × 400	670	130	150	380	XDRST11-400/315
400 × 355 × 400	670	130	150	380	XDRST11-400/355
450 × 315 × 450	660	150	150	410	XDRST11-450/315
450 × 400 × 450	740	150	170	410	XDRST11-450/400
500 × 125 × 500	500	160	120	410	XDRST11-500/125
500 × 160 × 500	530	160	135	420	XDRST11-500/160
500 × 250 × 500	620	160	135	420	XDRST11-500/250
500 × 315 × 500	685	160	180	470	XDRST11-500/315
500 × 400 × 500	770	160	170	470	XDRST11-500/400
560 × 160 × 560	715	128	120	440	XDRST11-560/160
560 × 250 × 560	715	155	135	470	XDRST11-560/250
560 × 355 × 560	720	155	135	555	XDRST11-560/355
560 × 400 × 560	760	155	170	555	XDRST11-560/400
630 × 400 × 630	770	135	170	570	XDRST11-630/400
630 × 500 × 630	1000	135	190	570	XDRST11-630/500

SDR17 系列					
规格 (Specifications) φdn ₁ × φdn ₂ × φdn ₃	L	A	B	H	订货编号 (Item Number)
280 × 90 × 280	406	139	79	230	XDRST17-280/90
280 × 225 × 280	545	147	127	280	XDRST17-280/225
315 × 90 × 315	425	150	79	255	XDRST17-315/90
315 × 110 × 315	437	150	82	270	XDRST17-315/110
315 × 160 × 315	450	132	77	240	XDRST17-315/160
315 × 200 × 315	450	113	98	270	XDRST17-315/200
315 × 225 × 315	450	95	100	275	XDRST17-315/225
315 × 250 × 315	450	90	70	245	XDRST17-315/250
315 × 280 × 315	570	130	105	280	XDRST17-315/280
355 × 250 × 355	635	165	110	290	XDRST17-355/250
355 × 315 × 355	725	165	140	355	XDRST17-355/315
400 × 315 × 400	680	160	150	380	XDRST17-400/315
400 × 355 × 400	675	145	130	374	XDRST17-400/355
450 × 315 × 450	660	150	150	410	XDRST17-400/315
450 × 400 × 450	740	150	170	410	XDRST17-450/400
500 × 125 × 500	500	160	120	410	XDRST17-500/125
500 × 160 × 500	530	160	135	420	XDRST17-500/160
500 × 250 × 500	620	160	135	420	XDRST17-500/250
500 × 315 × 500	685	160	180	470	XDRST17-500/315
500 × 400 × 500	770	160	170	470	XDRST17-500/400
560 × 160 × 560	715	128	120	440	XDRST17-560/160
560 × 250 × 560	715	155	135	470	XDRST17-560/250
560 × 355 × 560	720	155	135	555	XDRST17-560/355
560 × 400 × 560	760	155	170	555	XDRST17-560/400
630 × 400 × 630	770	135	170	570	XDRST17-630/400
630 × 500 × 630	1000	135	190	570	XDRST17-630/500




热熔等径三通

Equal Tee



热熔异径

Reducer



SDR11 系列					
规格 (Specifications) Φ dn ₁ × Φ dn ₂ × Φ dn ₁	L	A	B	H	订货编号 (Item Number)
50×50×50	170	55	55	87	XDRT11-50
63×63×63	203	63	63	104	XDRT11-63
75×75×75	230	70	70	118	XDRT11-75
90×90×90	263	79	77	134	XDRT11-90
110×110×110	295	82	82	145	XDRT11-110
125×125×125	315	87	87	163	XDRT11-125
140×140×140	345	92	92	178	XDRT11-140
160×160×160	325	70	70	169	XDRT11-160
180×180×180	437	105	105	225	XDRT11-180
200×200×200	380	78	87	200	XDRT11-200
225×225×225	423	87	104	240	XDRT11-225
250×250×250	517	120	120	275	XDRT11-250
280×280×280	600	139	139	310	XDRT11-280
315×315×315	619	137	127	315	XDRT11-315
355×355×355	635	120	120	350	XDRT11-355
400×400×400	675	110	120	380	XDRT11-400
450×450×450	800	155	170	410	XDRT11-450
500×500×500	860	140	160	505	XDRT11-500
560×560×560	910	140	160	555	XDRT11-560
630×630×630	1000	140	160	570	XDRT11-630

SDR17 系列					
规格 (Specifications) Φ dn ₁ × Φ dn ₂ × Φ dn ₁	L	A	B	H	订货编号 (Item Number)
63×63×63	203	63	63	104	XDRT17-63
75×75×75	230	70	70	114	XDRT17-75
90×90×90	263	79	77	134	XDRT17-90
110×110×110	295	82	82	145	XDRT17-110
125×125×125	315	87	87	163	XDRT17-125
140×140×140	345	92	92	174	XDRT17-140
160×160×160	325	70	70	169	XDRT17-160
180×180×180	437	105	105	225	XDRT17-180
200×200×200	380	78	87	200	XDRT17-200
225×225×225	430	95	105	235	XDRT17-225
250×250×250	517	120	120	265	XDRT17-250
280×280×280	600	139	139	297	XDRT17-280
315×315×315	619	137	127	300	XDRT17-315
355×355×355	635	120	120	350	XDRT17-355
400×400×400	675	110	120	380	XDRT17-400
450×450×450	800	155	170	410	XDRT17-450
500×500×500	860	140	160	505	XDRT17-500
560×560×560	910	140	160	555	XDRT17-560
630×630×630	1000	140	160	570	XDRT17-630


SDR11 系列					
规格 (Specifications) Φ dn ₁ × Φ dn ₂	L	A	B	订货编号 (Item Number)	
63×25	146	65	58	XDRS11-63/25	
63×32	155	70	55	XDRS11-63/32	
63×40	162	70	55	XDRS11-63/40	
63×50	158	70	55	XDRS11-63/50	
75×32	160	80	60	XDRS11-75/32	
75×50	160	80	60	XDRS11-75/50	
75×63	160	80	63	XDRS11-75/63	
90×32	170	79	60	XDRS11-90/32	
90×40	175	79	60	XDRS11-90/40	
90×50	174	79	60	XDRS11-90/50	
90×63	174	79	65	XDRS11-90/63	
90×75	175	79	70	XDRS11-90/75	
110×40	180	89	60	XDRS11-110/40	
110×50	180	89	60	XDRS11-110/50	
110×63	185	89	63	XDRS11-110/63	
110×75	188	89	70	XDRS11-110/75	
110×90	190	89	79	XDRS11-110/90	
125×63	192	87	63	XDRS11-125/63	
125×75	186	87	70	XDRS11-125/75	
125×90	195	87	80	XDRS11-125/90	
125×110	195	87	82	XDRS11-125/110	
140×90	232	92	79	XDRS11-140/90	
140×110	232	92	82	XDRS11-140/110	
160×32	210	98	70	XDRS11-160/32	
160×63	210	98	70	XDRS11-160/63	
160×75	210	98	70	XDRS11-160/75	
160×90	212	98	80	XDRS11-160/90	
160×110	215	98	82	XDRS11-160/110	
160×125	218	98	87	XDRS11-160/125	
180×90	240	108	80	XDRS11-180/90	
180×110	228	108	82	XDRS11-180/110	
180×125	240	108	87	XDRS11-180/125	
180×160	240	104	93	XDRS11-180/160	
200×63	227	112	63	XDRS11-200/63	

SDR17 系列					
规格 (Specifications) Φ dn ₁ × Φ dn ₂	L	A	B	订货编号 (Item Number)	
90×50	174	79	60	XDRS17-90/50	
90×63	174	79	65	XDRS17-90/63	
90×75	175	79	70	XDRS17-90/75	
110×50	180	89	60	XDRS17-110/50	
110×63	185	89	63	XDRS17-110/63	
110×75	188	89	70	XDRS17-110/75	
110×90	190	89	79	XDRS17-110/90	
125×90	195	87	80	XDRS17-125/90	
125×110	195	87	82	XDRS17-125/110	
140×110	232	92	82	XDRS17-140/110	
160×63	210	98	70	XDRS17-160/63	
160×75	210	98	70	XDRS17-160/75	
160×90	212	98	80	XDRS17-160/90	
160×110	215	98	82	XDRS17-160/110	
160×125	218	98	87	XDRS17-160/125	
180×90	240	108	80	XDRS17-180/90	
180×110	228	108	82	XDRS17-180/110	
180×125	240	108	87	XDRS17-180/125	
180×160	240	104	93	XDRS17-180/160	
200×90	230	110	88	XDRS17-200/90	
200×110	230	112	82	XDRS17-200/110	
200×160	240	112	98	XDRS17-200/160	
225×110	250	110	82	XDRS17-225/110	
225×160	250	110	98	XDRS17-225/160	
225×180	250	110	88	XDRS17-225/180	
225×200	255	110	88	XDRS17-225/200	
250×90	230	110	88	XDRS17-250/90	
250×110	237	110	88	XDRS17-250/110	
250×125	230	110	90	XDRS17-250/125	
250×160	245	110	100	XDRS17-250/160	
250×180	248	110	105	XDRS17-250/180	
250×200	250	110	105	XDRS17-250/200	
250×225	280	130	120	XDRS17-250/225	
280×160	253	110	85	XDRS17-280/160	
280×225	250	110	85	XDRS17-280/225	
315×90	255	118	90	XDRS17-315/90	




热熔异径

Reducer



热熔90°弯头

Elbow90°



SDR11 系列				
规格 (Specifications) φ dn ₁ × φ dn ₂	L	A	B	订货编号 (Item Number)
200×90	230	112	80	XDRS11-200/90
200×110	230	112	82	XDRS11-200/110
200×125	230	112	87	XDRS11-200/125
200×160	240	112	98	XDRS11-200/160
200×180	242	112	105	XDRS11-200/180
225×90	237	110	79	XDRS11-225/90
225×110	250	110	82	XDRS11-225/110
225×160	258	110	98	XDRS11-225/160
225×180	250	110	88	XDRS11-225/180
225×200	255	115	88	XDRS11-225/200
250×90	230	110	88	XDRS11-250/90
250×110	237	110	88	XDRS11-250/110
250×125	230	110	90	XDRS11-250/125
250×160	245	110	100	XDRS11-250/160
250×180	248	110	105	XDRS11-250/180
250×200	250	110	105	XDRS11-250/200
250×225	235	110	85	XDRS11-250/225
280×160	256	110	88	XDRS11-280/160
280×180	255	110	85	XDRS11-280/180
280×200	252	108	85	XDRS11-280/200
280×225	250	110	85	XDRS11-280/225
280×250	248	110	82	XDRS11-280/250
315×90	255	118	90	XDRS11-315/90
315×110	255	118	92	XDRS11-315/110
315×160	256	118	92	XDRS11-315/160
315×180	256	118	94	XDRS11-315/180
315×200	258	118	94	XDRS11-315/200
315×225	258	118	94	XDRS11-315/225
315×225	255	117	95	XDRS11-315/225
315×250	255	117	95	XDRS11-315/250
355×280	285	115	110	XDRS11-355/280
400×200	285	110	110	XDRS11-400/200
400×250	285	110	110	XDRS11-400/250
400×315	285	110	110	XDRS11-400/315
400×355	285	110	110	XDRS11-400/355
450×200	255	110	100	XDRS17-450/200
450×250	255	110	100	XDRS17-450/250
450×315	265	110	110	XDRS17-450/315
450×355	265	110	110	XDRS17-450/355
450×400	250	100	100	XDRS17-500/400
500×450	250	100	100	XDRS17-500/450
560×500	250	100	100	XDRS17-560/500
630×500	250	100	100	XDRS17-630/500
710×630	250	100	100	XDRS17-710/630
800×710	250	100	100	XDRS17-800/710

SDR17 系列				
规格 (Specifications) φ dn ₁ × φ dn ₂	L	A	B	订货编号 (Item Number)
315×110	255	118	92	XDRS17-315/110
315×160	256	118	92	XDRS17-315/160
315×180	256	118	94	XDRS17-315/180
315×200	258	118	94	XDRS17-315/200
315×225	255	117	95	XDRS17-315/225
315×250	255	117	95	XDRS17-315/250
355×200	300	110	110	XDRS17-355/200
355×250	290	110	110	XDRS17-355/250
355×280	285	110	110	XDRS17-355/280
400×200	285	110	110	XDRS17-400/200
400×250	285	110	110	XDRS17-400/250
400×315	285	110	110	XDRS17-400/315
400×355	285	110	110	XDRS17-400/355
450×200	255	110	100	XDRS17-450/200
450×250	255	110	100	XDRS17-450/250
450×315	265	110	110	XDRS17-450/315
450×355	265	110	110	XDRS17-450/355
450×400	270	110	110	XDRS17-450/400
500×400	250	100	100	XDRS17-500/400
500×450	250	100	100	XDRS17-500/450
560×500	250	100	100	XDRS17-560/500
630×500	250	100	100	XDRS17-630/500
710×630	250	100	100	XDRS17-710/630
800×710	250	100	100	XDRS17-800/710


SDR11 系列			
规格 (Specifications) φ dn	L	A	订货编号 (Item Number)
50	119	66	XDRL11-50
63	132	63	XDRL11-63
75	165	70	XDRL11-75
90	182	79	XDRL11-90
110	210	82	XDRL11-110
125	240	87	XDRL11-125
140	241	89	XDRL11-140
160	258	80	XDRL11-160
180	295	105	XDRL11-180
200	308	96	XDRL11-200
225	367	120	XDRL11-225
250	361	98	XDRL11-250
280	423	139	XDRL11-280
315	455	123	XDRL11-315
355	550	155	XDRL11-355
400	610	160	XDRL11-400
450	650	155	XDRL11-450
500	700	155	XDRL11-500
560	780	165	XDRL11-560
630	850	170	XDRL11-630

SDR17 系列			
规格 (Specifications) φ dn	L	A	订货编号 (Item Number)
63	132	63	XDRL17-63
75	165	70	XDRL17-75
90	188	79	XDRL17-90
110	212	82	XDRL17-110
125	240	87	XDRL17-125
140	240	89	XDRL17-140
160	258	80	XDRL17-160
180	295	105	XDRL17-180
200	308	96	XDRL17-200
225	367	120	XDRL17-225
250	361	98	XDRL17-250
280	432	129	XDRL17-280
315	467	130	XDRL17-315
355	550	150	XDRL17-355
400	610	180	XDRL17-400
450	650	155	XDRL17-450
500	700	155	XDRL17-500
560	780	170	XDRL17-560
630	850	170	XDRL17-630




热熔45°弯头

Elbow 45°



注塑垫环

Flange adaptor (Stub End)



SDR11 系列					
规格 (Specifications) φ dn	L	A	B	订货编号 (Item Number)	
63	160	63	80	XDRVL11-63	
75	180	70	89	XDRVL11-75	
90	227	79	112	XDRVL11-90	
110	245	82	118	XDRVL11-110	
125	244	87	118	XDRVL11-125	
160	302	98	145	XDRVL11-160	
180	340	105	155	XDRVL11-180	
200	355	112	168	XDRVL11-200	
225	390	120	170	XDRVL11-225	
250	405	130	189	XDRVL11-250	
280	460	140	215	XDRVL11-280	
315	505	150	220	XDRVL11-315	
355	530	145	235	XDRVL11-355	
400	580	160	270	XDRVL11-400	
450	650	155	280	XDRVL11-450	
500	735	180	320	XDRVL11-500	
560	760	160	330	XDRVL11-560	
630	820	160	360	XDRVL11-630	

SDR17 系列					
规格 (Specifications) φ dn	L	A	B	订货编号 (Item Number)	
63	160	63	80	XDRVL17-63	
75	180	70	89	XDRVL17-75	
90	229	79	112	XDRVL17-90	
110	245	82	120	XDRVL17-110	
125	244	87	113	XDRVL17-125	
160	302	98	135	XDRVL17-160	
180	340	105	155	XDRVL17-180	
200	355	112	168	XDRVL17-200	
225	398	120	170	XDRVL17-225	
250	420	130	189	XDRVL17-250	
280	465	140	215	XDRVL17-280	
315	510	140	210	XDRVL17-315	
355	530	145	235	XDRVL17-355	
400	580	160	270	XDRVL17-400	
450	650	155	280	XDRVL17-450	
500	735	180	320	XDRVL17-500	
560	760	160	330	XDRVL17-560	
630	820	160	360	XDRVL17-630	


SDR11 系列					
规格 (Specifications) φ dn	φ dn1	L	A	B	订货编号 (Item Number)
20	45	84	63	7	XDRD11-20
25	58	84	61	8	XDRD11-25
32	68	84	61	10	XDRD11-32
40	78	79	61	12	XDRD11-40
50	88	84	67	12	XDRD11-50
63	102	85	68	13	XDRD11-63
75	122	94	75	14	XDRD11-75
90	138	98	75	17	XDRD11-90
110	158	103	81	19	XDRD11-110
125	158	127	102	21	XDRD11-125
140	188	127	97	22	XDRD11-140
160	212	135	100	26	XDRD11-160
180	212	135	100	30	XDRD11-180
200	268	155	112	35	XDRD11-200
225	268	145	105	30	XDRD11-225
250	320	160	118	32	XDRD11-250
280	320	150	105	35	XDRD11-280
315	370	175	130	35	XDRD11-315
355	430	170	125	35	XDRD11-355
400	482	175	135	34	XDRD11-400
450/A	585	208	135	43	XDRD11-450A
450/B	546	208	135	43	XDRD11-450B
450/C	530	208	135	43	XDRD11-450C
500	585	210	150	47	XDRD11-500
560/A	685	215	160	45	XDRD11-560A
560/B	630	215	160	45	XDRD11-560B
560/C	630	215	160	60	XDRD11-560C

SDR17 系列					
规格 (Specifications) φ dn	φ dn1	L	A	B	订货编号 (Item Number)
63	102	85	68	13	XDRD17-63
75	122	94	75	14	XDRD17-75
90	138	98	75	17	XDRD17-90
110	158	103	79	19	XDRD17-110
125	158	127	102	21	XDRD17-125
140	188	127	97	22	XDRD17-140
160	212	135	100	26	XDRD17-160
180	212	135	100	30	XDRD17-180
200	268	155	112	35	XDRD17-200
225	268	145	105	30	XDRD17-225
250	320	160	118	32	XDRD17-250
280	320	150	105	35	XDRD17-280
315	370	165	130	35	XDRD17-315
355	430	170	125	35	XDRD17-355
400	482	175	135	34	XDRD17-400
450A	530	205	135	43	XDRD17-450A
450B	546	205	135	43	XDRD17-450B
450C	585	205	135	43	XDRD17-450C
500	585	210	150	47	XDRD17-500
560A	630	215	160	45	XDRD17-560A
560B	685	215	160	45	XDRD17-560B
630A	685	210	145	52	XDRD17-630A
630B	710	210	145	60	XDRD17-630B
630C	720	210	145	52	XDRD17-630C
710	800	190	117	57	XDRD17-710
800	905	185	122	54	XDRD17-800
900	1005	190	124	56	XDRD17-900
1000	1110	189	105	58	XDRD17-1000
1200	1330	335	215	70	XDRD17-1200




短颈注塑垫环

Flange adaptor (Short neck)



长颈注塑垫环

Flange adaptor (Long neck)



SDR11 系列						
产品规格 (Specifications) ϕ dn	ϕ dn ₁	L	A	B	订货编号 (Item Number)	
63	102	50	16	14	XDRD11-63S	
75	122	50	14	16	XDRD11-75S	
90	138	80	33	17	XDRD11-90S	
110	158	80	27	18	XDRD11-110S	
125	158	80	38	21	XDRD11-125S	
140	188	80	30	22	XDRD11-140S	
160	212	80	26	26	XDRD11-160S	
180	212	80	30	30	XDRD11-180S	
200	268	100	27	35	XDRD11-200S	
225	268	100	40	30	XDRD11-225S	
250	320	100	28	32	XDRD11-250S	
280	320	100	35	35	XDRD11-280S	
315	370	100	25	35	XDRD11-315S	

SDR17 系列						
产品规格 (Specifications) ϕ dn	ϕ dn ₁	L	A	B	订货编号 (Item Number)	
63	102	50	16	14	XDRD17-63S	
75	122	50	14	16	XDRD17-75S	
90	138	80	33	17	XDRD17-90S	
110	158	80	27	18	XDRD17-110S	
125	158	80	38	21	XDRD17-125S	
140	188	80	30	22	XDRD17-140S	
160	212	80	26	26	XDRD17-160S	
180	212	80	30	30	XDRD17-180S	
200	268	100	27	35	XDRD17-200S	
225	268	100	40	30	XDRD17-225S	
250	320	100	28	32	XDRD17-250S	
280	320	100	35	35	XDRD17-280S	
315	370	100	25	35	XDRD17-315S	

SDR11 系列						
产品规格 (Specifications) ϕ dn	ϕ dn ₁	L	A	B	订货编号 (Item Number)	
63	102	115	81	14	XDRD11-63L	
75	122	115	79	16	XDRD11-75L	
90	138	135	88	17	XDRD11-90L	
110	158	135	82	18	XDRD11-110L	
125	158	175	133	21	XDRD11-125L	
140	188	175	125	22	XDRD11-140L	
160	212	175	121	26	XDRD11-160L	
180	212	175	125	30	XDRD11-180L	
200	268	175	102	35	XDRD11-200L	
225	268	175	115	30	XDRD11-225L	
250	320	175	103	32	XDRD11-250L	
280	320	175	110	35	XDRD11-280L	
315	370	225	150	35	XDRD11-315L	

SDR17 系列						
产品规格 (Specifications) ϕ dn	ϕ dn ₁	L	A	B	订货编号 (Item Number)	
63	102	115	81	14	XDRD17-63L	
90	138	135	88	17	XDRD17-90L	
110	158	135	82	18	XDRD17-110L	
125	158	175	133	21	XDRD17-125L	
160	212	175	121	26	XDRD17-160L	
200	268	175	102	35	XDRD17-200L	
225	268	175	115	30	XDRD17-225L	
250	320	175	103	32	XDRD17-250L	
315	370	225	150	35	XDRD17-315L	



承插套管
Equal coupling

规格 (Specifications)	订货编号 (Item Number)
20	XDCI-20
25	XDCI-25
32	XDCI-32
40	XDCI-40
50	XDCI-50
63	XDCI-63
75	XDCI-75



承插45°弯头
45° Equal Elbow

规格 (Specifications)	订货编号 (Item Number)
20	XDCVL-20
25	XDCVL-25
32	XDCVL-32
40	XDCVL-40
50	XDCVL-50
63	XDCVL-63
75	XDCVL-75



承插异径套管
Reducing coupling

规格 (Specifications)	订货编号 (Item Number)	规格 (Specifications)	订货编号 (Item Number)
25×20	XDCS-25/20	63×20	XDCS-63/20
32×20	XDCS-32/20	63×25	XDCS-63/25
32×25	XDCS-32/25	63×32	XDCS-63/32
40×20	XDCS-40/20	63×40	XDCS-63/40
40×25	XDCS-40/25	63×50	XDCS-63/50
40×32	XDCS-40/32	75×32	XDCS-75/32
50×20	XDCS-50/20	75×40	XDCS-75/40
50×25	XDCS-50/25	75×50	XDCS-75/50
50×32	XDCS-50/32	75×63	XDCS-75/63
50×40	XDCS-50/40		



承插等径三通
Equal Tee

规格 (Specifications)	订货编号 (Item Number)
20	XDCT-20
25	XDCT-25
32	XDCT-32
40	XDCT-40
50	XDCT-50
63	XDCT-63
75	XDCT-75



承插90°弯头
90° Equal Elbow

规格 (Specifications)	订货编号 (Item Number)
20	XDCL-20
25	XDCL-25
32	XDCL-32
40	XDCL-40
50	XDCL-50
63	XDCL-63
75	XDCL-75



承插异径三通
Reducing Tee

规格 (Specifications)	订货编号 (Item Number)	规格 (Specifications)	订货编号 (Item Number)
25×20	XDCST-25/20	50×40	XDCST-50/40
32×20	XDCST-32/20	63×20	XDCST-63/20
32×25	XDCST-32/25	63×25	XDCST-63/25
40×20	XDCST-40/20	63×32	XDCST-63/32
40×25	XDCST-40/25	63×40	XDCST-63/40
40×32	XDCST-40/32	63×50	XDCST-63/50
50×20	XDCST-50/20	75×40	XDCST-75/40
50×25	XDCST-50/25	75×50	XDCST-75/50
50×32	XDCST-50/32	75×63	XDCST-75/63



承插垫环

Socket washer

规格 (Specifications)	订货编号 (Item Number)
40	XDCD-40
50	XDCD-50
63	XDCD-63
75	XDCD-75



承插管帽

End Cap

规格 (Specifications)	订货编号 (Item Number)
20	XDCM-20
25	XDCM-25
32	XDCM-32
40	XDCM-40
50	XDCM-50
63	XDCM-63
75	XDCM-75



承插内螺纹直接

Female adapter

规格 (Specifications)	订货编号 (Item Number)
20 × 1/2" F	XDCFI-20/1/2"
25 × 1/2" F	XDCFI-25/1/2"
25 × 3/4" F	XDCFI-25/3/4"
32 × 1" F	XDCFI-32/1"
32 × 1/2" F	XDCFI-32/1/2"
32 × 3/4" F	XDCFI-32/3/4"
40 × 1 ^{1/4} " F	XDCFI-40/1 ^{1/4} "
50 × 1 ^{1/2} " F	XDCFI-50/1 ^{1/2} "
63 × 2" F	XDCFI-63/2"



承插外螺纹直接

Male adapter

规格 (Specifications)	订货编号 (Item Number)
20 × 1/2" M	XDCMI-20/1/2"
25 × 1/2" M	XDCMI-25/1/2"
25 × 3/4" M	XDCMI-25/3/4"
32 × 1" M	XDCMI-32/1"
32 × 1/2" M	XDCMI-32/1/2"
32 × 3/4" M	XDCMI-32/3/4"
40 × 1 ^{1/4} " M	XDCMI-40/1 ^{1/4} "
50 × 1 ^{1/2} " M	XDCMI-50/1 ^{1/2} "
63 × 2" M	XDCMI-63/2"



承插外螺纹弯头

Male Elbow

规格 (Specifications)	订货编号 (Item Number)
20 × 1/2" M	XDCML-20/1/2"
25 × 1/2" M	XDCML-25/1/2"
25 × 3/4" M	XDCML-25/3/4"
32 × 1" M	XDCML-32/1"
32 × 1/2" M	XDCML-32/1/2"
32 × 3/4" M	XDCML-32/3/4"



承插内螺纹弯头

Female Elbow

规格 (Specifications)	订货编号 (Item Number)
20 × 1/2" F	XDCFL-20/1/2"
25 × 1/2" F	XDCFL-25/1/2"
25 × 3/4" F	XDCFL-25/3/4"
32 × 1" F	XDCFL-32/1"
32 × 1/2" F	XDCFL-32/1/2"
32 × 3/4" F	XDCFL-32/3/4"



承插内螺纹三通

Female Tee

规格 (Specifications)	订货编号 (Item Number)
20 × 1/2" F	XDCFT-20/1/2"
25 × 1/2" F	XDCFT-25/1/2"
25 × 3/4" F	XDCFT-25/3/4"
32 × 1" F	XDCFT-32/1"
32 × 1/2" F	XDCFT-32/1/2"
32 × 3/4" F	XDCFT-32/3/4"



承插外螺纹三通

Male Tee

规格 (Specifications)	订货编号 (Item Number)
20 × 1/2" M	XDCMT-20/1/2"
25 × 1/2" M	XDCMT-25/1/2"
25 × 3/4" M	XDCMT-25/3/4"
32 × 1" M	XDCMT-32/1"
32 × 1/2" M	XDCMT-32/1/2"
32 × 3/4" M	XDCMT-32/3/4"



承插内螺纹活接

Female Union

规格 (Specifications)	订货编号 (Item Number)
20 × 1/2" F	XDCFH-20/1/2"
25 × 3/4" F	XDCFH-25/3/4"
32 × 1" F	XDCFH-32/1"
40 × 1 1/4" F	XDCFH-40/1 1/4"
50 × 1 1/2" F	XDCFH-50/1 1/2"
63 × 2" F	XDCFH-63/2"



热熔外丝对接丝扣接头

Butt Fusion Male Adapter

规格 (Specifications)	订货编号 (Item Number)
20 × 1/2" M	XDRML-20/1/2"
25 × 3/4" M	XDRML-25/3/4"
32 × 1" M	XDRML-32/1"
40 × 1 1/4" M	XDRML-40/1 1/4"
50 × 1 1/2" M	XDRML-50/1 1/2"
63 × 2" M	XDRML-63/2"
90 × 3" M	XDRML-90/3"



热熔内丝对接丝扣接头

Butt Fusion Female Adapter

规格 (Specifications)	订货编号 (Item Number)
20 × 1/2" F	XDRFL-20/1/2"
25 × 3/4" F	XDRFL-25/3/4"
32 × 1" F	XDRFL-32/1"
40 × 1 1/4" F	XDRFL-40/1 1/4"
50 × 1 1/2" F	XDRFL-50/1 1/2"
63 × 2" F	XDRFL-63/2"
90 × 3" F	XDRFL-90/3"



承插外螺纹活接

Male Union

规格 (Specifications)	订货编号 (Item Number)
20 × 1/2" M	XDCMH-20/1/2"
25 × 3/4" M	XDCMH-25/3/4"
32 × 1" M	XDCMH-32/1"
40 × 1 1/4" M	XDCMH-40/1 1/4"
50 × 1 1/2" M	XDCMH-50/1 1/2"
63 × 2" M	XDCMH-63/2"



承插截止阀

Stop Valve

规格 (Specifications)	订货编号 (Item Number)
20	XDCJ-20
25	XDCJ-25
32	XDCJ-32
40	XDCJ-40
50	XDCJ-50
63	XDCJ-63
75	XDCJ-75



快速接头

Compression Coupling

规格 (Specifications)	订货编号 (Item Number)
20 × 1/2" M	XDKSMI-20/1/2"
25 × 3/4" M	XDKSMI-25/3/4"
32 × 1" M	XDKSMI-32/1"



快速接头

Compression Elbow

规格 (Specifications)	订货编号 (Item Number)
20 × 1/2" M	XDKSML-20/1/2"
25 × 3/4" M	XDKSML-25/3/4"
32 × 1" M	XDKSML-32/1"



美标热承

Astm Flang Adapter

规格 (Specifications)	订货编号 (Item Number)
2"	XDAMF-2"
3"	XDAMF-3"
4"	XDAMF-4"
6"	XDAMF-6"
8"	XDAMF-8"
10"	XDAMF-10"
12"	XDAMF-12"
14"	XDAMF-14"
16"	XDAMF-16"
18"	XDAMF-18"
20"	XDAMF-20"
24"	XDAMF-24"



虹吸电熔套管

Electrofusion Siphon Coupler

规格 (Specifications)	订货编号 (Item Number)
50	XDHI-50
56	XDHI-56
110	XDHI-110
125	XDHI-125
160	XDHI-160
200	XDHI-200
250	XDHI-250
315	XDHI-315



热熔多节异径

Butt Fusion Stepped Reducer

规格 (Specifications)	订货编号 (Item Number)
180/160/125/110/90	XDDJR180/90
315/250/200/180/160	XDDJR315/160
400/355/315/250/200/180	XDDJR400/180



直通鞍型切孔刀
The Cutter For Branch Saddle



电熔焊机
Electrofusion Machine



热熔对接机
Butt Fusion Machine



承插焊接器
Socket Welder



旋转割刀
Rotating Cutter



管子割刀
Pipe Cutter



刮刀
Pipe Scraper